




Expandable GPS vehicle tracking device

Lead your fleet into the future



Streamline your operations and stay ahead in fleet management with the Geotab GO9 device. Integrate it with the platform to boost productivity and efficiency, improve safety, and reduce overall fleet costs.



Geotab G09 – The evolution of fleet tracking

Automate. Integrate. Innovate. The Geotab G09 is redesigned from the ground up and built to support the needs of your fleet now and into the future.

Near-real-time vehicle data

Get rich, accurate data on location, vehicle health, driving behavior and much more.

Compact, durable design

The small but mighty G09 is housed in flame-retardant black ABS.

Breakthrough collision detection and notification

Collision alerts inform you and provide a detailed summary of events. Detection of a suspected collision will prompt the automatic upload of detailed data from the device to allow for forensic reconstruction of the event.

End-to-end cybersecurity

Geotab platform security provides end-to-end data protection. Security methods include authentication, encryption, message integrity verification, unique ID and non-static security keys and over-the-air updates that use digitally-signed firmware to verify that updates come from a trusted source.

Device security features are implemented using a FIPS140-3 Certificate #4875.



A black, rectangular Geotab GO9 device is shown. It has a small screen on the front and a port on the side. A line points from the top of the device to the 'Over-the-air updates' section. Another line points from the side of the device to the 'LTE connectivity' section. A third line points from the bottom of the device to the 'Built-in auto-calibrating accelerometer and gyroscope' section. A fourth line points from the side of the device to the 'Device expandability via IOX Technology' section. A fifth line points from the bottom of the device to the 'Engine and battery health assessments' section. A sixth line points from the top of the device to the 'Over-the-air updates' section. A seventh line points from the side of the device to the 'LTE connectivity' section. A eighth line points from the bottom of the device to the 'Built-in auto-calibrating accelerometer and gyroscope' section. A ninth line points from the side of the device to the 'Device expandability via IOX Technology' section. A tenth line points from the bottom of the device to the 'Engine and battery health assessments' section.

Over-the-air updates

New updates and improvements are sent to your device seamlessly. The GO9 permits over-the-air (OTA) initial provisioning and firmware updates for the device, GPS (GO9-only), and select cellular modems (LTE only).

LTE connectivity

Communication on the LTE network delivers speed where you need it and longevity for peace of mind.

Device expandability via IOX Technology

The IOX port lets you get even more from your device. Integrate with third-party providers that suit your needs. Add on hardware for Driver ID, temperature tracking, asset tracking, satellite communication and more.

Engine and battery health assessments

The GO9 delivers valuable information for EVs and vehicles, such as vehicle health and battery state-of-charge. Record vehicle identification number (VIN), odometer, engine faults, seatbelt and more.

Built-in auto-calibrating accelerometer and gyroscope

Measure precise vehicle movements, such as harsh braking and acceleration, with the high-quality accelerometer and newly added gyroscope.

Geotab GO9 highlights

GO9 hardware innovations

- The device code space provides the capacity for further native vehicle support and more features — such as improved EV energy support and broader fuel usage support.
- The accelerometer — analysing the X, Y, and Z axis — is enhanced by adding a gyroscope — which analyses the angular velocity (such as spinouts during accidents or harsh driving) — to provide enhanced data for collision detection and examination.
- Updated GPS module to a Global Navigation Satellite System (GNSS) module offering GPS and GLONASS support. This new module provides improved latch times (time-to-first-fix) and enhanced location data accuracy.

Updates made easy

- OTA updates include device, GPS, and select cellular modems (LTE only).
- The latest firmware and configuration are applied during installation for enhanced privacy, security, and reliability.

The most powerful GO device ever


Upgrade to the next generation of GPS vehicle tracking devices. With a 32-bit processor, more memory and more RAM, the Geotab GO9 is the most powerful GO device ever.

See support documents for full technical specifications.

Simple installation

Simply plug the GO9 directly into your vehicle's OBD II port or with an adapter where needed. No antenna or wire-splicing required. The device auto-calibrates to accommodate for installation in any orientation. See installation sheet for full details.

It's as easy as 1-2-3



Develop, build, integrate

Automating tasks and integrating telematics data with your other business systems is easy with the Geotab SDK (Software Development Kit). Explore the Geotab Marketplace to find hundreds of integrated third-party solutions.

myGEOTAB™

 **GEOTAB
Marketplace**

 **MyGeotab SDK**

You must select the appropriate Geotab hardware for your installation environment and vehicle use. For installations where exposure to the elements (e.g., liquids, dust, or interior wet cleaning/powerwash) is anticipated, select the GO RUGGED device (GR8 & GR9 are IP67 & IP68 rated, respectively). For additional information regarding environmental contaminants, see the applicable installation instructions in the Important Safety Information & Limitations of Use document.